

# Master Lock®

## SAFETY SOLUTIONS™



## Safety Lockout Products

A Number of Master Lock Safety Padlocks Have Achieved UL Environment Validation for Recycled Content



Safety Tags



Lockout Isolation I.D. Tags



Boxed Roll of Tags

# Custom-Built Padlocks & Safety Lockout Products

## READY TO SHIP IN 48 HOURS!



When customers need products in a hurry, the Express Program delivers. Products are ready to ship in 48 hours!

The most popular custom-built Master Lock safety padlocks and American Lock safety and security padlocks are available to order.

For OSHA safety lockout situations, the Express Program also offers the full line of Master Lock Safety Solutions lockout devices and accessories.

- Order Online: [masterlockshop.com](http://masterlockshop.com)
- Order by Email: [lockexpressorders@mlock.com](mailto:lockexpressorders@mlock.com)
- Order by Dedicated Fax: 1-866-808-2705

Orders must be placed by 2 p.m. CST and clearly marked "Express" in order for shipment within 48 hours.



Anodized Aluminum Padlocks



Zenex™ Thermoplastic Padlocks



Powder-Coated Aluminum Padlocks



Steel Padlocks



Laminated Steel Padlocks



Cable Lockouts



Hasps



Electrical Lockouts



Valve Lockouts









Group Lock Boxes










Lockout Stations and Kits

# Table of Contents



## Padlocks, Identification, & Accessories

	Zenex™ Thermoplastic Safety Padlocks . . . . .	P6
	Keyed Alike Sets . . . . .	P9
	Aluminum Safety Padlocks . . . . .	P10
	Steel Safety Padlocks . . . . .	P13
	Padlock Identification . . . . .	P14
	Padlock Accessories . . . . .	P15







## Lockout Devices & Covers

	Hasps . . . . .	P17
	Electrical Lockouts . . . . .	P18
	Electrical Covers . . . . .	P20
	Valve Lockouts . . . . .	P22
	Cable Lockouts . . . . .	P24
	Group Lock Boxes . . . . .	P25
	Pneumatic & Wheel Lockouts . . . . .	P26




## Lockout Devices & Covers (continued)

	Blind Flange Lockouts . . . . .	P27
	Confined Space Covers . . . . .	P28

## Lockout Kits & Stations

	Lockout Kits . . . . .	P29
	Padlock Stations . . . . .	P31
	Compact Stations . . . . .	P32
	Lockout Stations . . . . .	P33
	Deluxe Tag Center . . . . .	P34
	Custom Lockout Kits & Stations . . . . .	P35

## Training, Signs & Tags

	Safety Tags . . . . .	P36
	Guardian Extreme™ Safety Tags . . . . .	P38
	Tag Stations . . . . .	P41

## Planograms

	Safety Lockouts . . . . .	P42
-------------------------------------------------------------------------------------	---------------------------	-----

# Lockout/Tagout & OSHA Compliance

## What is Lockout/Tagout?

In 1989, OSHA introduced Standard 29 CFR 1910.147 *The Control of Hazardous Energy* in order to establish lockout/tagout compliance requirements for general industry. Lockout/Tagout is the process of controlling hazardous energy during the service and maintenance of machinery and equipment. These safety specific work procedures safeguard employees from accidental injuries or even death.

## Why Lockout/Tagout?

The Control of Hazardous Energy (lockout/tagout) has been listed within OSHA's top 10 most frequently cited standards for several years. Non-compliance with this standard has resulted in thousands of worker related injuries and even deaths. Lockout/Tagout procedures are utilized to protect employees from the dangers of hazardous energy and ensure they go home safely every day.

For more information on Lockout/Tagout visit [www.osha.gov](http://www.osha.gov)

## Master Lock Safety Solutions™ offers the products & services you need to help you stay compliant

### How to Implement a Lockout/Tagout System

The 1910.147 standard stated above establishes requirements for facilities to implement and employees to follow. In order to keep employees safe and to comply with the OSHA standard, facilities must:

- + **Develop** – create a lockout/tagout program specific to the machinery in your facility, including equipment that is not capable of being locked out
- + **Implement** – use lockout devices for equipment that can be locked out and tagout devices to identify who is performing maintenance
- + **Train** – teach employees the lockout/tagout procedures and be sure authorized employees can perform the procedure accurately
- + **Enforce** – monitor and maintain that the implemented procedures are being performed
- + **Inspect** – lockout/tagout procedures as well as employees should be audited at least annually



## OSHA Requirements for Padlocks and Devices

The OSHA Lockout/Tagout standard outlines 5 requirements that all safety padlocks and devices must meet. Master Lock™ Safety Solutions padlocks and devices were designed to meet all of these requirements.

Requirement	Description	Master Lock LOTO Products
Durable	Manufactured with materials that withstand usage environment	✓
Substantial	Cannot be removed unless considerable force is applied	✓
Standardized	Clearly differentiated from other devices by color, shape or size	✓
Identifiable	Indicates the authorized employee that applied the device	✓
Exclusive for Safety	Not to be used for purposes other than controlling energy	✓

# Keying: A Critical Component

## “One Employee, One Lock, One Key”

It is important that each employee at a facility has a padlock key that is unique to them. Key charting is critical to prevent duplicate keys from entering the workplace and jeopardizing your lockout/tagout program.




**Master Lock Safety Solutions™ offers the keying services and options to meet any system design**

## LifeGuard™

### A no-charge Safety Lockout Padlock Key Charting System – critical for Safety Lockout


- Key charting is a record of all the safety padlock key codes assigned to a facility
- It is important that each authorized employee at a site has a unique padlock key that only opens that employee's safety padlock. This complies with the “one lock, one employee, one key” directive
- To help prevent duplicate keys from jeopardizing your lockout program, register your workplace with Master Lock. Once registered, Master Lock will send you an End User Identification Number for your site's Key Chart
- When you use that I.D. number on each additional padlock order, Master Lock will use a new key code for each padlock we manufacture for you. When used properly, this free service helps ensure that each employee carries a key unique to them, eliminating unwanted key duplication in a safety lockout program
- Locate the Master Lock End User Registration form and instructions at [www.masterlock.com](http://www.masterlock.com)

## Keying Options to fit your facility's needs




### Keyed Different

Each lock is opened by its own unique key which does not open any other lock in the set – complying with the “One lock, one employee, one key” mantra



### Keyed Alike

All padlocks in the set are opened by the same key so only one key is necessary to open numerous padlocks – for employees who need many locks, they still only have one key



### Master Keyed

A master key opens all locks within the system while each lock also has its own unique key – allows for responsible removal of improperly placed or forgotten lockouts according to your emergency notification policy

# ZENEX™ THERMOPLASTIC SAFETY PADLOCK FEATURES

- ▶ Durable padlocks weigh only ounces (400 series 4 oz., S30 Series 3 oz.), making it easy to carry many
- ▶ Withstands extreme temperatures
- ▶ Excellent corrosion resistance
- ▶ UV stable
- ▶ No silicone used in padlock
- ▶ Over 40,000 unique safety key codes available. Over 1 million possible codes with optional key cylinders
- ▶ Keyed Different, Keyed Alike and Master Keyed options
- ▶ Key retaining – ensures padlock is not accidentally left unlocked. S33 non key-retaining for group lockout
- ▶ Available in up to 8 colors
- ▶ Includes one key to ensure compliance with “One Lock, One Employee, One Key” Directive
- ▶ Includes write-on “Danger” and “Property Of” labels
- ▶ Body sides and face can be laser engraved for permanent identification
- ▶ Non-rekeyable ensures your safety lockout system stays pure by preventing haphazard rekeying and the accidental introduction of duplicate key codes
- ▶ Your facility’s padlocks can be key charted to ensure no duplicate key numbers are supplied and accidentally handed out to multiple employees
- ▶ Virtually all components are made in the U.S.A.

## Zenex™ Thermoplastic Safety Padlocks

Optimal safety padlock designed exclusively for Lockout/Tagout by Safety Directors. Distinctive Zenex™ Thermoplastic safety padlock is durable, standardized, substantial and identifiable for OSHA 1910.147 compliance. Stands up to chemicals, temperature extremes, and is UV stable.



410

**4100RJ** with S142 Label

**410RED**

**406RED**

**406BLU**

**410YLW** with cover (COV)

**410LTGRN**

**406BLK** with S142 Label

**411LTTEAL**

**411YLW** with 0411-5705 Label

**411PRP**

**411LTORJ** with cover (COV)

**Designed by Safety Directors**

**Dielectric Protection**

**UL VALIDATED**

• MASTER LOCK 410 SERIES: 410 AND 410LT CONTAIN A MINIMUM OF 50% RECYCLED CONTENT  
UL.COM/ECV

**UL VALIDATED**

• MASTER LOCK 406 SERIES: 406 CONTAIN A MINIMUM OF 34% RECYCLED CONTENT  
UL.COM/ECV

**Multilingual Labels Available**

**UL VALIDATED**

• MASTER LOCK 411 SERIES: 411 AND 411LT CONTAIN A MINIMUM OF 40% RECYCLED CONTENT  
UL.COM/ECV

RED YLW GRN BLU BLK TEAL PRP ORJ

# 410 Zenex™ Thermoplastic Safety Padlock

- ▶ 1/4in diameter, 1-1/2in or 3in high plated metal shackles
- ▶ High security, reserved for safety cylinder
- ▶ Key-Retaining, ensures padlock is not accidentally left unlocked
- ▶ English, Spanish, and French labels included

Master Lock Model #	Description	Vertical Shackle Clearance (B)	Schematic
<b>410 Safety Padlocks</b>			
1-1/2in Wide, 1-3/4in High Zenex™ Thermoplastic Body. Shackle Dimensions: A: 1/4in C: 25/32in			
410RED	Keyed Different	1-1/2in	
410LTRED	Keyed Different, Extra Length Shackle	3in	
410REDCOV	Keyed Different with Extreme Environment Safety Padlock Cover	1-1/2in	
410KARED	Keyed Alike	1-1/2in	
410KALTRED	Keyed Alike, Extra Length Shackle	3in	
410MKRED	Master Keyed	1-1/2in	
410KAMKRED	Keyed Alike, Master Keyed		
Eight Color Options: Add Desired Color Suffix: RED, YLW, GRN, BLU, BLK, TEAL, PRP, ORJ			
400COVERS	Extreme Environment Safety Padlock Cover; bag of 12 covers – see page 15		
S140	Write on North American English, Spanish, and French. Multilingual label options available. (50 labels/language)		
S142	North American English, Spanish & French Padlock Labels for 406, 410, S31 & S33 (6 pk.)		



410RED

Keyed Alike Sets Available

# 406 Zenex™ Thermoplastic Non-Conductive, Non-Magnetic, Non-Sparking Safety Padlock

- ▶ Ideal for medical, military, mining & electrical lockout
- ▶ 1/4in diameter, 1-1/2in high nylon shackle with Zenex™ Thermoplastic body
- ▶ All components are non-sparking and non-magnetic plastic, copper, or brass
- ▶ Exposed components are plastic and do not conduct electricity
- ▶ Shackle withstands over 300 lb pull force

Master Lock Model #	Description	Vertical Shackle Clearance (B)	Schematic
<b>406 Non-Conductive, Non-Magnetic, Non-Sparking Safety Padlocks</b>			
1-1/2in Wide, 1-3/4in High Zenex™ Thermoplastic Body. Shackle Dimensions: A: 1/4in C: 25/32in			
406RED	Keyed Different, Dielectric	1-1/2in	
406REDCOV	Keyed Different with Extreme Environment Safety Padlock Cover		
406KARED	Keyed Alike		
406MKRED	Master Keyed		
406KAMKRED	Keyed Alike, Master Keyed		
406AST	Pack – One each of all eight colors. Keyed Different		
Eight Color Options: Add Desired Color Suffix: RED, YLW, GRN, BLU, BLK, TEAL, PRP, ORJ			
400COVERS	Extreme Environment Safety Padlock Cover; bag of 12 covers – see page 15		
S140	Write on North American English, Spanish, and French. Multilingual label options available. (50 labels/language)		
S142	North American English, Spanish & French Padlock Labels for 406, 410, S31 & S33 (6 pk.)		



406YLW

Keyed Alike Sets Available

# 411 Zenex™ Thermoplastic Bilingual Safety Padlock

- ▶ 3in tall body with 1/4in diameter, 1-1/2in or 3in high plated metal shackles
- ▶ High security, reserved for safety cylinder
- ▶ English/Spanish and English/French combined labels

Master Lock Model #	Description	Vertical Shackle Clearance (B)	Schematic
<b>411 Bilingual Safety Padlocks</b>			
1-1/2in Wide, 3in High Zenex™ Thermoplastic Body. Shackle Dimensions: A: 1/4in C: 25/32in			
411RED	Keyed Different	1-1/2in	
411REDCOV	Keyed Different with Extreme Environment Safety Padlock Cover		
411LTRED	Keyed Different, Extra Length Shackle	3in	
411KARED	Keyed Alike	1-1/2in	
411KALTRED	Keyed Alike, Extra Length Shackle	3in	
411MKRED	Master Keyed	1-1/2in	
411KAMKRED	Keyed Alike, Master Keyed		
411AST	Pack – One each of all eight colors. Keyed Different		
Eight Color Options: Add Desired Color Suffix: RED, YLW, GRN, BLU, BLK, TEAL, PRP, ORJ			
411COVERS	Extreme Environment Safety Padlock Cover; bag of 12 covers – see page 15		
S141	Write on North American English/Spanish, English/French. Bilingual options available. (50 labels/language)		
0411-5705	Photo ID labels for 411 padlocks (6 pk.)		




411BLU

Keyed Alike Sets Available



## S31 Global Zenex™ Thermoplastic Safety Padlock

- ▶ 3/16in Marine grade 316 stainless steel shackle for superior corrosion resistance
- ▶ Key retaining – ensures padlock is not accidentally left unlocked
- ▶ Available with 1-1/2in or 3in tall shackle
- ▶ Patented



## S32 Zenex™ Thermoplastic Dielectric Safety Padlock

- ▶ Non-Conductive, Non-Magnetic, Non-Sparking Safety Padlock – all components are plastic, copper or brass
- ▶ Ideal for medical, military, mining & electrical lockout
- ▶ 3/16in diameter x 1-1/2in high plastic shackle
- ▶ Non key retaining – padlock can be left unlocked and snap locked as needed. Ideal for use with 498A or 503 series group lock boxes
- ▶ Patented

## S33 Global Zenex™ Thermoplastic Snap Lock Safety Padlock

- ▶ 3/16in Marine grade 316 stainless steel shackle for superior corrosion resistance
- ▶ Non key retaining – padlock can be left unlocked and snap locked as needed. Ideal for use with 498A or 503 series group lock boxes
- ▶ Available with 1-1/2in or 3in tall shackle
- ▶ Patented

Master Lock Model #	Description	Vertical Shackle Clearance (B)	Schematic	
<b>Zenex™ Thermoplastic Safety Padlock</b>				
1-3/8in Wide, 1-7/8in High Zenex™ Thermoplastic Body. Shackle Dimensions: A: 3/16in C: 5/8in				
S31RED	Keyed Different	1-1/2in		
S31LTRED	Keyed Different, Extra Length Shackle	3in		
S31KARED	Keyed Alike	1-1/2in		
S31KALTRED	Keyed Alike, Extra Length Shackle	3in		
S31MKRED	Master Keyed	1-1/2in		
S31KAMKRED	Keyed Alike, Master Keyed			
<b>Zenex™ Thermoplastic Dielectric Safety Padlock</b>				
1-3/8in Wide, 1-7/8in High Body. Shackle Dimensions: A: 3/16in C: 5/8in				
S32RED	Keyed Different	1-1/2in		
S32KARED	Keyed Alike			
S32MKRED	Master Keyed			
S32KAMKRED	Keyed Alike, Master Keyed			
<b>Zenex™ Thermoplastic Snap-Lock Safety Padlock</b>				
1-3/8in Wide, 1-7/8in High Zenex™ Thermoplastic Body. Shackle Dimensions: A: 3/16in C: 5/8in				
S33RED	Keyed Different	1-1/2in		
S33REDCOV	Keyed Different with Extreme Environment Safety Padlock Cover			
S33LTRED	Keyed Different, Extra Length Shackle	3in		
S33KARED	Keyed Alike	1-1/2in		
S33KALTRED	Keyed Alike, Extra Length Shackle	3in		
S33MKRED	Master Keyed	1-1/2in		
S33KAMKRED	Keyed Alike, Master Keyed			
Nine Color Options: Add Desired Color Suffix: RED, YLW, GRN, BLU, BLK, TEAL, PRP, ORJ				
S30COVERS	Extreme Environment Safety Padlock Covers; bag of 12 covers – see page 15			
S140	Write on North American English, Spanish, and French. Multilingual label options available. (50 labels/language)			
S142	North American English, Spanish & French Padlock Labels for 406, 410, S31 & S33 (6 pk.)			



Keyed Alike Sets Available





410KAS3

# Safety Padlock Keyed-Alike Sets

Popular quantities of safety padlocks are conveniently packed in sets, simplifying the order process.

## Safety Padlock Keyed-Alike Sets

### Safety Padlocks Built and Packed in Popular Keyed Alike Quantities

Workers often need to lock out more than one energy source on a single piece of equipment. Keyed alike safety padlocks can help serve this purpose.

To simplify and expedite ordering, Master Lock now offers our Zenex™ Thermoplastic, Aluminum and Steel safety padlocks in popular keyed alike quantities – sets of 3, 6, or 12 locks. These locks are ordered as “1” unit and are packed together making them easy to distribute.

<b>“n” Denotes quantity of padlocks per keyed alike set. Choose quantity and color of set(s) at time of purchase.</b>	
<b>Master Lock Model</b>	<b>Description</b>
<b>Zenex™ Thermoplastic Safety Padlocks, 1/4in dia shackle</b>	
406KASn	Choose quantity per set; 3, 6, or 12 (e.g. 406KAS12RED = twelve red 406KA Padlocks)
410KASn	
411KASn	
Eight Color Options: Add Desired Color Suffix: RED, ORJ, YLW, GRN, BLU, BLK, PRP, TEAL	
<b>Zenex™ Thermoplastic Safety Padlocks, 3/16in dia shackle</b>	
S31KASn	Choose quantity per set; 3, 6, or 12 (e.g. S31KAS3BLU = three blue S31KA Padlocks)
S33KASn	
Nine Color Options: Add Desired Color Suffix: RED, ORJ, YLW, GRN, BLU, BLK, PRP, TEAL, WHT	
<b>Powder Coated Aluminum Safety Padlocks, 1/4in dia shackle</b>	
6835KASn	Choose quantity per set; 3, 6, or 12 (e.g. 6835KAS12GRN = twelve green 6835KA Padlocks)
Six Color Options: Add Desired Color Suffix: RED, ORJ, YLW, GRN, BLU, BLK	
<b>Anodized Aluminum Safety Padlocks, 1/4in dia shackle</b>	
A1105KASn	Choose quantity per set; 3, 6, or 12 (e.g. A1105KAS6ORJ = six orange A1105KA Padlocks)
A1106KASn	
Nine Color Options: Add Desired Color Suffix: RED, BLU, BRN, GRN, YLW, BLK, ORJ, CLR, PRP	
<b>Laminated Steel, 9/32in dia shackle</b>	
3KASn	Choose quantity per set; 3, 6, or 12 (e.g. 3KAS12YLW = twelve yellow 3KA Padlocks)
Six Color Options: Add Desired Color Suffix: RED, YLW, GRN, BLU, BLK, WHT.	



410KAS3RED



411KAS6YLW



A1106KAS12BLU

Note: Contact Master Lock Customer Care to supply your site’s End User Registration ID Number and the key numbers received to update your site’s Key Chart.



S6835RED

## Aluminum Safety Padlocks

Lightweight and durable aluminum body for Lockout/Tagout. Choose from powder coated or anodized finish. Stands up to chemicals, temperature extremes, and is UV stable.

## ALUMINUM SAFETY PADLOCK FEATURES

- ▶ Durable padlock weighs 5 ounces, making it easy to carry
- ▶ Solid body construction stands up to physical abuse
- ▶ Durable aluminum body for superior corrosion resistance
- ▶ UV stable
- ▶ No silicone used in padlock
- ▶ 1/4in diameter boron steel shackle with plated finish for corrosion resistance
- ▶ Available keyed different, keyed alike and master keyed
- ▶ Available with 1in, 1-1/2in or 3in tall shackle
- ▶ Brass shackle option available for spark resistance
- ▶ Write on labels and Photo ID labels available
- ▶ Body sides and face can be laser engraved for permanent identification – 6 available spaces
- ▶ Virtually all components made in the USA
- ▶ Uses FDA approved lubricants safe for use in food processing

## S-series Aluminum Safety Padlocks

*Designed specifically for Safety lockout*

- ▶ Featuring the W401/W417 Safety Exclusive keyway
- ▶ Key retaining
- ▶ Over 40,000 key changes to meet your system needs
- ▶ Complies with the “One Lock, One Key per Employee” mantra
- ▶ Durable aluminum construction for supreme corrosion resistance
- ▶ LifeGuard™ key charting free of charge

### S6835 Series

*Baked-on powder coated finish for vibrant color options*



**Master Lock**



### S1100 Series

*Anodized aluminum no-chip finish – ideal for food processing facilities*



**AMERICAN LOCK**



# Master Lock S6835 Series



S6835RED with Cover (COV)



S6835YLW with 461 Label



S6835GRN




S6835LFBLU with 6835-5700 Label



S6835LFLBK



S6835LTORJ



# AMERICAN LOCK S1100 Series



S1105RED



S1105YLW



S1106GRN with Cover (COV)



S1106BLU



S1106BLK



S1106PRP



S1107ORJ with 461 Label



S1107BRN



S1107CLR with 6835-5700 Label



Model #	Description	Vertical Shackle Clearance (B)	Schematic	
<b>S6835 Series Powder Coated Aluminum Padlocks</b>				
1.5in Wide, 1.820in High—High Visibility Aluminum Body, Shackle Dimensions: A: 1/4in C: 3/4in				
S6835RED	Keyed Different	1in		
S6835REDCOV	Keyed Different with Extreme Environment Safety Padlock	1in		
S6835LFRED	Keyed Different, Extra Length Shackle	1-1/2in		
S6835LTRED	Keyed Different, Extra Length Shackle	3in		
S6835KARED	Keyed Alike	1in		
S6835KALFRED	Keyed Alike, Extra Length Shackle	1-1/2in		
S6835KALTRED	Keyed Alike, Extra Length Shackle	3in		
S6835MKRED	Master Keyed	1in		
S6835KAMKRED	Keyed Alike, Master Keyed			
S6835WORED	Lock Body & Shackle w/o Cylinder			
S6835KZRED	Zero Bitted			
Six Color Options: Add Desired Color Suffix: RED, YLW, GRN, BLU, BLK, ORJ				
S101	Extreme Environment Safety Padlock Covers; bag of 12 covers – see page 15			
6835-5700	Photo ID labels for S6835/6835 series and S1100/A1100 series padlocks – 1-1/4in W x 1-3/4in T			
461	Padlock labels with clear overlamine (50 pk.) - 5in W x 1in T			
<b>S1100 Series Anodized Aluminum Padlocks</b>				
1.5in Wide, 1.820in High Anodized Aluminum Body, Shackle Dimensions: A: 1/4in C: 3/4in				
S1105RED	Keyed Different	1in		
S1105REDCOV	Keyed Different with Extreme Environment Safety Padlock			
S1105KARED	Keyed Alike			
S1105MKRED	Master Keyed			
S1105KAMKRED	Keyed Alike, Master Keyed			
S1106RED	Keyed Different, Extra Length Shackle	1-1/2in		
S1106KARED	Keyed Alike			
S1106MKRED	Master Keyed			
S1106KAMKRED	Keyed Alike, Master Keyed			
S1107RED	Keyed Different, Extra Length Shackle	3in		
S1107KARED	Keyed Alike			
S1107MKRED	Master Keyed			
Also available as 6-pin; A1165, A1166, A1167				
Nine Color Options: Add Desired Color Suffix: RED, YLW, GRN, BLU, BLK, PRP, ORJ, BRN, CLR				
S101	Extreme Environment Safety Padlock Covers; bag of 12 covers – see page 15			
6835-5700	Photo ID labels for S6835/6835 series and S1100/A1100 series padlocks – 1-1/4in W x 1-3/4in T			
461	Padlock labels with clear overlamine (50 pk.) - 5in W x 1in T			

# Standard Aluminum Padlocks


## Powder Coated Aluminum Safety Padlocks

### Master Lock 6835 Series

- ▶ Available in 6 vibrant colors
- ▶ Durable baked-on powder coated finish
- ▶ Over 10,000 key changes available
- ▶ Rekeyable W6000 keyway, 5-pin cylinder available



Master Lock Model #	Description	Vertical Shackle Clearance (B)	Schematic	
<b>6835 Series Powder Coated Aluminum Padlocks</b>				
1.5in Wide x 1.820in High—High Visibility Aluminum Body. Shackle Dimensions: A: 1/4in C: 3/4in				
6835RED	Keyed Different	1in		
6835LFRED	Keyed Different, Extra Length Shackle	1-1/2in		
6835LTRED	Keyed Different, Extra Length Shackle	3in		
6835KARED	Keyed Alike	1in		
6835KALFRED	Keyed Alike, Extra Length Shackle	1-1/2in		
6835KALTRED	Keyed Alike, Extra Length Shackle	3in		
6835MKRED	Master Keyed	1in		
6835KAMKRED	Keyed Alike, Master Keyed			
6835WORED	Lock Body & Shackle w/o Cylinder			
6835KZRED	Zero Bitted			
Six Color Options: Add Desired Color Suffix: RED, YLW, GRN, BLU, BLK, ORJ				
COV	Extreme Environment Safety Padlock Cover option; add 'COV' to end of Product No. to order (e.g. S6835REDCOV)			
6835-5700	Photo ID labels for S6835/6835 series and S1100/A1100 series padlocks – 1-1/4in W x 1-3/4in T			
461	Padlock labels with clear overlaminate (50 pk.) - 5in W x 1in T			



Keyed Alike Sets Available

## Anodized Aluminum Safety Padlocks


### American Lock A1100 Series

- ▶ Available in 9 colors
- ▶ Durable anodized finish suitable for lockout in food processing facilities
- ▶ Over 10,000 key changes available

### American Lock A3100 Series

- ▶ Interchangeable Core Cylinder. Small Format
- ▶ Over 101,000 key changes available

American Lock Model #	Description	Vertical Shackle Clearance (B)	Schematic
<b>A1100 Series Anodized Aluminum Padlocks</b>			
1.5in Wide x 1.820in High Anodized Aluminum Body. Shackle Dimensions: A: 1/4in C: 3/4in			
A1105RED	Keyed Different	1in	
A1105KARED	Keyed Alike		
A1105MKRED	Master Keyed		
A1105KAMKRED	Keyed Alike, Master Keyed		
A1106RED	Keyed Different, Extra Length Shackle	1-1/2in	
A1106KARED	Keyed Alike		
A1106MKRED	Master Keyed		
A1106KAMKRED	Keyed Alike, Master Keyed	3in	
A1107RED	Keyed Different, Extra Length Shackle		
A1107KARED	Keyed Alike		
A1107MKRED	Master Keyed		
Also available as 6-pin; A1165, A1166, A1167			
<b>A3100 Series Interchangeable Core Anodized Aluminum Padlocks</b>			
1.5in Wide x 1.820in High Anodized Aluminum Body. Shackle Dimensions: A: 1/4in C: 3/4in			
A3105RED	Keyed Different	1in	
A3106RED	Keyed Different, Extra Length Shackle	1-1/2in	
A3107RED	Keyed Different, Extra Length Shackle	3in	
Also available as 6-pin; A3165, A3166, A3167			
Nine Color Options: Add Desired Color Suffix: RED, YLW, GRN, BLU, BLK, PRP, ORJ, BRN, CLR			
COV	Extreme Environment Safety Padlock Cover option; add 'COV' to end of Product No. to order (e.g. S6835REDCOV)		
6835-5700	Photo ID labels for S6835/6835 series and S1100/A1100 series padlocks – 1-1/4in W x 1-3/4in T		
461	Padlock labels with clear overlaminate (50 pk.) - 5in W x 1in T		



Keyed Alike Sets Available – A1105 and A1106 padlocks

## STEEL SAFETY PADLOCK FEATURES

- ▶ Weighs approximately 7 ounces
- ▶ Can withstand extreme temperatures
- ▶ 9/32in diameter shackle
- ▶ Available with 3/4in, 1-1/2in or 2in tall shackle
- ▶ 6 bumper colors available
- ▶ Keyed Different, Keyed Alike and Master Keyed options
- ▶ Over 1400 unique key codes available
- ▶ Includes 2 keys
- ▶ Key code stamped in key and on bottom of padlock
- ▶ Wrap around, write on labels available for identification
- ▶ Your facility's padlocks can be key charted to ensure no duplicate key numbers are supplied and accidentally handed out to multiple employees
- ▶ Virtually all components made in the U.S.A.
- ▶ Uses FDA approved lubricants safe for use in food processing



## Steel Safety Padlocks

Strong and economical. Reinforced laminated steel construction stands up to extreme physical abuse.

### 3 Steel Safety Padlock

Master Lock Model #	Description	Vertical Shackle Clearance (B)	Schematic
1-9/16in Wide Laminated Steel Body. Shackle Dimensions: A: 9/32in C: 5/8in			
3RED	Keyed Different	3/4in	
3LFRED	Keyed Different, Extra Length Shackle	1-1/2in	
3LHRED	Keyed Different, Extra Length Shackle	2in	
3KARED	Keyed Alike	3/4in	
3KALFRED	Keyed Alike, Extra Length Shackle	1-1/2in	
3KALHRED	Keyed Alike, Extra Length Shackle	2in	
3MKRED	Master Keyed	3/4in	
3KAMKRED	Keyed Alike, Master Keyed		
Rainbow Color Assortment Packs			
1220AST	One each of all six #3 colors. Keyed Different	1-1/2in	
1220LHAST	One each of all six #3LH colors. Keyed Different	2in	
1220DSPL	Safety Starter Kit. Two 420 safety lockouts; six 3 safety lockout padlocks (one each color); six 71TAG ID tags; and six 71SC9 attachment collars	1-1/2in	
Six Color Options: Add Desired Color Suffix: RED, YLW, GRN, BLU, BLK, WHT.			
461	Padlock labels with clear overlamine (50 pk.)		



Keyed Alike Sets Available

### Breakaway Shackle Padlock

**Laminated Steel Padlock with Breakaway Shackle for Emergency Access**

- ▶ Ideal for emergency situations where emergency access is needed, such as fire extinguishers and hoses

NOTE: Does not meet OSHA 1910.147 Lockout/Tagout Standard

Master Lock Model #	Description	Vertical Shackle Clearance (B)
500KABRK	Keyed Alike, Warded Locking Mechanism. Breakaway Shackle	13/16in





Laser Engraving

## Laser Engraving

### A Permanent and Durable Method to Customize Your Safety Lockout Padlocks

- ▶ Available on Aluminum and Zenex™ Thermoplastic padlocks
- ▶ A name, logo or key number, you select the important information to engrave on the padlock
- ▶ Laser engrave information on the padlock face, sides or back
- ▶ Contact your preferred distributor or Master Lock for ordering and pricing information
- ▶ Available in many languages; call for details
- ▶ Visit [www.masterlocksafety.com](http://www.masterlocksafety.com) to see sample engraving on all lock styles and colors



## Padlock Identification

Master Lock has the most comprehensive offering of padlock identification options available.

## Padlock Identification Labels



Master Lock Model #	Description	Dimensions
0411-5705	Photo ID labels for 411 padlocks (6/pk)	1in W x 2-3/8in T
6835-5700	Photo ID labels for A1105, A1106, A1107, A1165, A1166, A1167 and 6835 padlocks (6/pk)	1-1/4in W x 1-3/4in T
461	Padlock labels with clear overlaminate (50/pk)	5in W x 1in T
S140	North American English, Spanish & French Padlock Labels for 410, 406, S31 & S33 (50 labels/language)	1in W x 1-3/16in T
S141	North American English/Spanish, & English/French Padlock Labels for 411 padlocks (50 labels/language)	1in W x 2-3/8in T
S142	Photo ID labels for 410, 406, S31, and S33 Padlocks (6/pk)	1in W x 1-1/4in T



Master Lock Model #	Description	Dimensions
"Danger Do Not Operate" Padlock Labels for 410, 406, S31 & S33 padlocks		
S140	North American English, Spanish & French (50 labels/language)	1in W x 1-3/16in T
S140LES	European Spanish (50 labels/language)	
S140LFR	European French (50 labels/language)	
S140LCS	Czech (50 labels/language)	
S140LNL	Flemish/Dutch (50 labels/language)	
S140LDE	German (50 labels/language)	
S140LIT	Italian (50 labels/language)	
S140LJA	Japanese (50 labels/language)	
S140LZH	Mandarin Chinese (50 labels/language)	
S140LPL	Polish (50 labels/language)	
S140LPT	Portuguese (50 labels/language)	
S140LRU	Russian (50 labels/language)	
Bilingual "Danger Do Not Operate" Padlock Labels for 411 padlocks		
S141	North American English/Spanish, & English/French (50 labels/language)	1in W x 2-3/8in T
S141LESLEN	European Spanish/English (50 labels/language)	
S141LFRLEN	European French/English (50 labels/language)	
S141LCSLEN	Czech/English (50 labels/language)	
S141LNLLEN	Flemish/Dutch/English (50 labels/language)	
S141LDELEN	German/English (50 labels/language)	
S141LITLEN	Italian/English (50 labels/language)	
S141LJALEN	Japanese/English (50 labels/language)	
S141LZHLEN	Mandarin Chinese/English (50 labels/language)	
S141LPLEN	Polish/English (50 labels/language)	
S141LPTLEN	Portuguese/English (50 labels/language)	
S141LRULEN	Russian/English (50 labels/language)	

## Extreme Environment Safety Padlock Covers

- ▶ Seals shackle and keyway to help keep out dust and grime from extreme environments
- ▶ Dual strap increases durability and minimizes the obstruction of labels
- ▶ Removable attached keyway cap allows for easier access to keyway (not included on S30COVERS)
- ▶ Available for American Lock S1100 Series and Master Lock S6835, 410, 411 and S30 Series safety padlock families



Master Lock Model #	Description
S101	For American Lock S1100 and A1100 series and Master Lock S6835 and 6835 series padlocks; bag of 12 covers
400COVERS	For Master Lock 410 and 406 series padlocks; bag of 12 covers
411COVERS	For Master Lock 411 series padlocks; bag of 12 covers
S30COVERS	For Master Lock S31, S32 & S33 series padlocks; bag of 72 covers

## HF RFID and Barcode Labels

*Ideal for Use with Barcode Scanning Software*

- ▶ With electronic identification labels, equipment can be identified instantly and error free
- ▶ HF RFID labels feature an HF RFID inlay programmed with a unique 16-digit code
- ▶ Barcode labels feature a 2-D barcode graphic with a printed alphanumeric code. S153 barcode label features 1-D barcode graphic
- ▶ Durable polyester construction resists extreme environments



S153

Master Lock Model #	Description
S150	2-D Barcode labels – for use on metal or plastic surfaces. Use with barcode reader, smartphone or tablet. 100 Labels/Bag
S151	HF RFID and Barcode labels – for use on non-metal applications. Use with HF RFID reader, NFC enabled smartphone or tablet. Read range of approximately 1-inch. 25 Labels/Bag
S152	HF RFID and Barcode labels – for use on metal or non-metal applications. Use with HF RFID reader, NFC enabled smartphone or tablet. Read range of approximately 1-inch. 25 Labels/Bag
S153	1-D Barcode labels – for use on metal or plastic surfaces. Use with barcode reader, smartphone or tablet. 100 Labels/Bag



S150



S151



S152

## Padlock Accessories


Safety lockout accessories for OSHA compliance.

S151

## Padlock Chains, Collars & Tags

- ▶ Chains keep padlocks close to equipment requiring safety lockout
- ▶ Engravable brass tag provides for individual worker identification
- ▶ Tags attach to safety lockout padlocks with 71SC8 and 71SC9 collars

Master Lock Model #	Description
71CS	9in Long lightweight zinc plated steel chain with chain holder attached; fits all Master shackle collars (ordered separately) (12 pk.)
71CH	9in Long heavy-duty zinc plated steel chain with chain holder attached; fits all Master shackle collars
71SC8	Shackle Collar. Fits 1/4in diameter shackles and smaller; for 410, 411, S1100/A1100, S6835/6835 padlocks
71SC9	Shackle Collar. Fits 9/32in diameter shackles; for 3 laminated steel padlocks
71TAG	1/2in x 1-3/4in Brass tag with ring for attaching to shackle collars listed above



## Safety Padlock Caddy

- ▶ Keep safety padlocks near appropriate machinery
- ▶ Hold up to 12 padlocks based on number of lockout points
- ▶ When locking out, conveniently carry caddy to all lockout points
- ▶ When all padlocks are gone, all lockout points have been met

Master Lock Model #	Description
S125	Safety Padlock Caddy – Carry up to 12 padlocks from lockout job to job



## Lock Lubricant

Master Lock Model #	Description
2305	5.25 oz PTFE-based indryin aerosol lubricant ideal for padlocks and multi-purpose applications



2305 Lock Lubricant



# Hasps

Lockout hasps are integral parts of a successful safety lockout program, providing effective multi-person lockout.

## Safety Lockout Hasps


### Lockout by Multiple Workers at Each Lockout Point

- ▶ Attach hasp to energy disconnect switch
- ▶ Control cannot be turned on until last worker's padlock is removed from hasp
- ▶ Multiple styles available to fit most needs; **Spark resistant aluminum, Pry-resistant steel, Dielectric plastic, Dual jaw aluminum**



4mm Dia. Stainless – Steel Hasp

Aluminum Sliding Hasp



Dual Jaw Aluminum



Dielectric



Master Lock Model #	Description	Inside Jaw Clearance	Jaw Dia.	Padlock Capacity
416	Spark Resistant Aluminum 1-1/2in x 4-3/8in	1in	1/4in	6
417	Spark Resistant Aluminum 2in x 4-7/8in	1-1/2in	1/4in	6
418	Heavy Duty Steel 2-3/8in x 3-1/4in	1in	1/4in	4
419	Heavy Duty Steel 2-3/8in x 6-5/8in	3in	1/4in	8
420	Steel Jaw with Vinyl Coated Handle 1-3/4in x 4-1/2in	1in	1/4in	6
421	Steel Jaw with Vinyl Coated Handle 2-3/8in x 5in	1-1/2in	1/4in	6
428	Nylon Non-Conductive Hasp 1-5/8in x 6-7/8in	1in x 2-1/2in	3/16in	6
429	Dual Jaw Aluminum Hasp 2in x 5-7/8in	1in & 1-1/2in	1/4in	8
ALO80	Tabbed Steel Jaw with Vinyl Coated Handle 1-3/4in x 4-1/2in	1in	3/8in	6
ALO802	Tabbed Steel Jaw with Vinyl Coated Handle 2-3/8in x 5in	1-1/2in	3/8in	6
S430	Steel Hasp with Red Plastic Handle 2-1/4in x 3in	1in	4mm	2
S431	316 Stainless Steel Hasp 1-3/4in x 5-1/4in	1in	4mm	8
S440	Anodized Aluminum Sliding Hasp (9in x 1-3/4in)	21mm	27mm	12
S450	Anodized Aluminum Sliding Hasp (13-1/2in x 1-3/4in)	21mm	27mm	24

### Model 427 – Labeled Snap-On Hasp

- ▶ Combines multiple-person lockout and tagout identification
- ▶ Features an easy-to-apply “snap-on” advantage with its spring-loaded locking arm
- ▶ Fits more lockout points than alternative rivet-hinge labeled lockout hasps
- ▶ Anodized aluminum and stainless steel construction for combined corrosion-resistance and strength
- ▶ Complete with high visibility, re-usable, write-on safety labels (English, French & Spanish)



427AST



Master Lock Model #	Description	Inside Jaw Clearance	Jaw Dia.	Padlock Capacity
427	Red Labeled Snap-On Hasp 2-7/8in x 7in	1-3/4in x 2-1/8in	1/4in	5
427BLU	Blue labeled Snap-On Hasp 2-7/8in x 7in; Other colors available (RED, YLW) Add suffix to end of Product No. to order			

## Grip Tight™ Circuit Breaker Lockout

*Greatest Hold Strength Combined with Universal Fit*

- ▶ Secure and simple mounting for a solid lockout. Holds tight with simple thumb turn and clamping handle
- ▶ Exclusive design accommodates virtually all styles of breaker toggles
  - Model 491B fits tall and wide breaker toggles
  - Model 493B fits standard height and tie-bar toggles
- ▶ Narrow profile permits side by side breaker lockout
- ▶ Compact devices are easy to carry and easy to store
- ▶ Both devices accept all American Lock® and Master Lock® safety padlock shackle and lockout hasp diameters
- ▶ Durable construction with powder coated steel and reinforced polymer allows operation in harsh environments
- ▶ Patented

Master Lock Model #	Description
491B	Circuit Breaker Lockout – tall and wide toggles
493B	Circuit Breaker Lockout – standard single and double toggles
506	Set of each device – one 491B and one 493B



**Two Lockouts  
Replace  
Many**



## Electrical Lockouts

Master Lock offers innovative, patented and patent pending devices for the effective lockout of electrical shut-off points, including circuit breakers, and electrical plugs.

## Miniature Circuit Breaker Lockouts

*Locks Out Most Miniature ISO/DIN Circuit Breakers Found Throughout the World*

- ▶ S2390 fits standard width toggle openings. Pin out. Black Handle
- ▶ S2391 fits wide toggle openings. Pin out. Red Handle
- ▶ S2394 features thumb-turn dial screw for easy attachment – no tools needed!
- ▶ Works with all Master Lock and American Lock safety padlocks and most lockout hasps
- ▶ S2390, S2391, S2392 Patented devices
- ▶ S2394 Patent pending

Master Lock Model #	Description
S2390	Fits pin-out breakers 11mm or less
S2391	Fits pin-out breakers 11mm to 13mm
S2392	Fits breakers with pin-in toggles
S2393	Fits universal breaker toggles
S2394	Fits universal breaker toggles, tool-free



**No Tools  
Required**



S2394  
Side-by-Side  
Application

S2394  
Horizontal  
Application



S2394



S2392



S2393



# Circuit Breaker Switch Padlock

*Provides the Flexibility to Effectively Lock Out Breaker Switches*

- ▶ 3/16in diameter cable shackle allows padlock to properly lock all types of circuit breaker lockout devices
- ▶ Flexible cable allows the compact lock body to be positioned so that the control panel door closes properly
- ▶ Fits the tight space constraints within circuit breaker shut-off boxes
- ▶ Numerous key changes are available to minimize the possibility of unwanted key duplication

Master Lock Model #	Description
7C5RED	1-1/8in wide steel body; 4-pin cylinder; 5in flexible steel cable. Keyed Different

**Allows Panel Door to Close**



# Rotating Electrical Plug Lockouts

*Outward/Inward Rotation Allows for Easier Application & Storage*

- ▶ Surrounds the electrical plug; protects against accidental reconnection
- ▶ Unique, patented rotating design allows for easier installation in confined space applications
- ▶ Complete with high-visibility permanent safety labels (English, French & Spanish). Labels can be written-on to identify the responsible person, then erased for the next job
- ▶ Tough, lightweight, dielectric Zenex™ Thermoplastic bodies withstand chemicals; perform effectively in extreme conditions

Master Lock Model #	For Electrical Plug Sizes Up To:
487	2-1/4in dia. x 3-1/4in with cord dia. up to 3/4in (110-120 and 220-240 volt plugs)
488	3in dia. x 6in with cord dia. up to 3/4in (Most 240 and 550 volt plugs)



**Exclusive Rotating Design**

# Compact Plug Prong Lockout

*Compact Design Locks Out Smaller Plugs Easily & Effectively*

- ▶ Locks on the prongs of 110-120 volt plugs
- ▶ Fits two prong plugs with and without ground
- ▶ Use with your existing lockout padlocks or lockout hasps
- ▶ Includes labels in English, Spanish, and French
- ▶ Patented

Master Lock Model #	Description
S2005	Fits 110-120-volt plugs (with or without ground)



# Removable and Permanent Push Button and Rotary Switch Covers

Temporarily prohibit access or avoid the nuisance of changing rotary switch settings with these durable, versatile, push button & switch covers. Available in both removable and installed versions, covers feature a clear base and cover to allow visibility of nameplates, labels or rotary switch knobs.

- ▶ Fits both 30.5mm and 22.5mm diameter switches

## S2151 Removable Push Button and Rotary Switch Cover

- ▶ Accommodates buttons up to 2in (50mm) diameter and 1-3/4in (45mm) tall
- ▶ Accepts S100 lockout leash to tether removable cover at switch panel
- ▶ Includes one cover, one install base and one retrofit base with double-faced adhesive tape
- ▶ S2152AST pack of 12 install bases allows one S2151 to service multiple switches on same panel



## S2153 Permanent/Installed Push Button and Rotary Switch Cover

- ▶ Captured by the rotary or pushbutton switch bezel
- ▶ Accommodates buttons up to 1-9/16in (40mm) diameter and 1-3/4in (45mm) tall



## S2152AST Install Bases

- ▶ Use with S2151
- ▶ Pack of 12 install bases
- ▶ Allows one S2151 removable cover to service multiple switches on same panel



## S2154AST Retrofit Install Bases

- ▶ Use with S2151
- ▶ Pack of 12 horse-shoe shaped retrofit bases with double-faced adhesive tape
- ▶ Allows for use with raised nameplates and off-center installation to accommodate rotary switch knobs



Master Lock Model #	Description
S2151	Removable Button and Switch Cover
S2153	Installed Button and Switch Cover
S2152AST	Install Bases for S2151 Removable Cover (12 pack)
S2154AST	Retrofit Install Bases for S2151 Removable Cover (12 pack)



S2152AST



S2154AST

## Electrical Covers

Versatile, durable, patented and patent pending designs address need for temporarily prohibiting access to a switch or control or to avoid nuisance changing of rotary switch settings.

S2153



# Universal Wall Switch Cover

*Locks Out Both Toggle and Decora® Paddle Wall Switches*

- ▶ Patented design assures switch is kept on or off
- ▶ Hinges open for unobstructed normal operation of switch
- ▶ Includes English/Spanish and English/French labels



**Patented  
Innovative  
Design**



Master Lock Model #	Description
496B	Universal Wall Switch Cover

# Oversized Plug & Hoist Control Cover

*Effectively Covers Odd Size and Large Electrical Connectors and Hoist Controls*

- ▶ The cinch sack offers broad application solutions
- ▶ Insert PVC tubing (not available through Master Lock) to block access to hoist control buttons
- ▶ Flexible & durable rip-stop nylon bag fits easily in safety tool boxes
- ▶ Lock out with up to 6 padlocks or hasps



Master Lock Model #	Description	Dimensions
453L	Large Nylon Oversized Plug & Control Cover	7in dia. x 17in tall
453XL	Extra Large Nylon Oversized Plug & Control Cover	10in dia. x 26in tall
453XXL	Extra Extra Large Nylon Oversized Plug & Control Cover	14in dia. x 36in tall



Electrical Connector Cover




Hoist Control Cover

# Butterfly Valve Lockout Devices

*Locks out virtually all butterfly valves*

- ▶ Easy-to-use, adjustable design fits virtually all butterfly valves
- ▶ Locks out valve in seconds by feeding S806 cable lockout device through desired eyelet and around valve neck
- ▶ Stainless steel rivet allows device to smoothly pivot open and closed to ensure proper fit
- ▶ Durable, lightweight Zenex™ Thermoplastic material is chemical resistant and performs effectively in extreme environments
- ▶ Directional application arrows allow for ease of installation and minimize user error

Master Lock Model #	Description
S3920	Butterfly Valve Lockout Device only
S3921	Butterfly Valve Lockout Device + S806CBL3 Adjustable cable lockout



*S3920 device acts as a wedge between the two handles; locked out with S806 adjustable cable & padlock.*



## Valve Lockouts

The exclusive, patented Master Lock gate and ball valve lockout devices work in difficult applications like tight spaces and insulated pipes.

# Rotating Gate Valve Lockouts

*Outward/Inward Rotation Allows for Easier Installation & Storage*

- ▶ Surrounds the valve operating handle to protect against accidental valve opening
- ▶ Multiple workers can apply their lockout hasps or personal safety locks
- ▶ Tough, lightweight, dielectric Zenex™ Thermoplastic bodies withstand chemicals; perform effectively in extreme conditions
- ▶ Unique, patented rotating design allows for easier installation in confined space applications
- ▶ Complete with high-visibility permanent safety labels (English, French & Spanish) that can be written-on to identify the responsible person, then erased for the next job
- ▶ Center knockout can be removed for rising stem gate valves
- ▶ Each size rotates into itself and nests within the next larger size to save space in storage

Master Lock Model #	Description	Depth	Stem Opening
480	1 in to 3 in dia. valve handles	1-1/16 in	3/4 in
481	2 in to 5 in dia. valve handles	1-1/2 in	1-1/2 in
482	4 in to 6.5 in dia. valve handles	1-7/8 in	2-1/2 in
483	6 in to 10 in dia. valve handles	2-3/4 in	3-1/2 in
484	8 in to 13 in dia. valve handles	3-3/8 in	4 in
485	1 set of 480-484		

**Easy to Store Fits in Kits**



**Easy to Use Even in Tight Spaces**

# Pressurized Gas Valve Lockout

## Fits Pressurized Gas Valves

- ▶ Patented design works with valve guard in place
- ▶ Fits virtually all pressurized gas valve handles up to 3in diameter
- ▶ Compact size easily stored when not being used
- ▶ Accepts any Master Lock® or American Lock® Safety Padlock
- ▶ Works with lockout hasps for multiple worker lockout

Master Lock Model #	Description	Depth	Stem Opening
S3910	Pressurized Gas Valve Lockout	1in	1-5/8in



# Ball Valve Lockout Devices

## Effective Lockout for Virtually Any Ball Valve

- ▶ Easy to use – simple, intuitive designs
- ▶ Broad application
  - Devices could lock up ball valves up to 4in
  - Fit virtually all types of pipe including insulated, PVC and metal
- ▶ Lightweight and compact – devices are easy to carry, store and apply even in tight, awkward spaces



### S3068 Seal Tight™ Handle-On Lockout

Metal device clamps tight on handle stop. Defies corrosive environments and extreme temperatures.



### 468L Seal Tight™ Handle-Off Lockout

Device encloses the valve stem, with the handle removed, to make accidental reactivation virtually impossible. Operates in extreme temperatures.



### S3081 Adjustable Lockout

Works with S806 cable lockout device for the most secure fit.



### S3476/S3477 1/4 Turn Ball Valve Lockout

Fits manual, quarter turn ball valve handles to protect against accidental opening. Easy to use one piece design locks valve in OFF position. Two rows of lock out points allow for a secure fit.



Master Lock Model #	Description	For Valve Diameters of:
S3068	Seal Tight™ Handle-On Ball Valve Lockout 5-3/4in L x 2-1/8in W x 2-1/2in H	1/4in to 4in
468L	Seal Tight™ Handle-Off Lockout, 11-1/2in H x 12-3/4in W x 2-1/2in D	3/8in to 4in
S1000	Seal Tight™ Ball Valve Lockout Kit (Set of 1 Each S3068 & 468L)	1/4in to 4in
S3081	Adjustable Ball Valve Lockout	1/2in to 2in


Master Lock Model #	Description
S3476	Fits valves between 1/4in (6.35mm) to 1in (25mm) diameter
S3477	Fits valves between 1-1/4in (31mm) to 3in (76mm)



## Retractable Cable Lockouts

### Adjustable cable lockout devices with Cable Management System for a variety of applications

- ▶ Cable take-up reel encloses the cable to provide protected storage and easy application by managing excess cable length during lockout
- ▶ Internal ratcheting mechanism ensures a secure lockout by only allowing the cable tension to increase, even after locks have been applied
- ▶ Patented 1/8in (3.3mm) diameter x 9ft (2.74m) cable features a colored plastic coating for added durability and visibility
- ▶ Tough, lightweight thermoplastic body withstands chemicals
- ▶ Ergonomic design eases operation when wearing gloves
- ▶ Contoured shape enables easy stacking, storage, and transportation of multiple devices
- ▶ Suitable for group or challenging, multi-point lockout
- ▶ Includes high-visibility, write-on safety labels in English, Spanish and French for easy identification (additional languages available)
- ▶ Replacement cable kits available separately with Steel or Nylon Core Cable; can use either cable type in same device



## Cable Lockouts

Innovative patented cable lockout devices offer efficient multipoint safety lockout compliance for a variety of safety applications.

Master Lock Model #	Description
S856	Retractable Cable Lockout Device with 9ft (2.74m) x 1/8in (3.3mm) dia. Steel Core Cable
S866	Retractable Cable Lockout Device with 9ft (2.74m) x 1/8in (3.3mm) dia. Nylon Core Cable
Replacement Parts	
PKGP52709	Replacement Cable Kit - Steel Core Cable
PKGP52711	Replacement Cable Kit - Nylon Core Cable
Danger Labels for S856/S866	
S143	Trilingual Danger Labels (English, French, Spanish) and Warning/Write-on Labels. Pack of 100 labels, 50 of each design
S143FR	Danger Labels. French. Pack of 50 labels
S143ZH	Danger Labels. Mandarin Chinese. Pack of 50 labels
S143RU	Danger Labels. Russian. Pack of 50 labels
S143ES	Danger Labels. European Spanish. Pack of 50 labels
S143PT	Danger Labels. Portuguese. Pack of 50 labels
S143JA	Danger Labels. Japanese. Pack of 50 labels
S143DE	Danger Labels. German. Pack of 50 labels
S143CS	Danger Labels. Czech. Pack of 50 labels
S143PL	Danger Labels. Polish. Pack of 50 labels
S143NL	Danger Labels. Flemish. Pack of 50 labels
S143IT	Danger Labels. Italian. Pack of 50 labels

## Adjustable Cable Lockouts

*Infinitely Adjustable for a Secure Fit Every Time*

- ▶ Integrated safety hasp and cable are ideal for multi-point lockout
- ▶ Feed the cable end through the points to be locked out, then back through the lockout body. Cinch it tight to remove any slack with the patented locking feature
- ▶ Tough, flexible multi-stranded steel cable is insulated with a clear plastic coating
- ▶ Tough, lightweight Zenex™ Thermoplastic body withstands chemicals; performs effectively in extreme conditions (temperature range of -40° F to 200° F)
- ▶ Master Lock S806 includes a 6' cable. Cable available in 1ft increments from 2ft to 50ft
- ▶ Complete with high-visibility write-on safety labels (English, French & Spanish)



Master Lock Model #	Description
3/16in (4mm) Diameter Cable	
S806	6' Adjustable cable lockout
S806CBL3	3' Adjustable cable lockout
S806CBL15	15' Adjustable cable lockout
S806CBL $n$	Adjustable cable lockout with user-specified cable length of 2' to 50'







## Group Lock Boxes with Key Window

**Heavy-Duty Group Lock Boxes with Key Window that Offer Visual Verification of Secured Keys During Group Lockout**

- ▶ Constructed out of 430-grade stainless steel to withstand the toughest environments
- ▶ Each lock box includes a removable cup that creates a clear, impact-resistant window on the front, allowing participants to see keys are secured inside the box during a group lockout
- ▶ All models include 19 total lockout holes, including one on the front latch for the operations lock
- ▶ Models S600 and S601 feature a side window, offering visibility to unused locks
- ▶ The stackable design facilitates storage and simplifies transporting multiple boxes
- ▶ Replacement removable key cups are available

## Lock Boxes

Made to withstand the toughest environments. Rugged construction offers enhanced design features, making these lock boxes stronger and easier to use.

Master Lock Model #	Description	Dimensions H x L x W
S600	Small group lock box	5-13/32in x 9-11/16in x 4-7/8in
S601	Small group lock box with side window for viewing unused locks	
S602	Large group lock box with rewritable label	7-49/64in x 9-11/16in x 4-7/8in



### Group Lockout Customization Services Available

- ▶ Master Lock builds group lockout kits containing lock boxes and padlocks configured to customer specifications
- ▶ Group lockout kits increase the efficiency of deploying products on site
- ▶ Contact your Master Lock safety sales representative for more information about our customization and kitting capabilities

## Latch Tight™ Group Lock Boxes

**Storage Devices Capture Keys for Effective Lockout of Large Equipment**

- ▶ Secure each lockout point on a piece of equipment with a single padlock. Place the keys in the group lock box and then each authorized employee places their personal padlock on the lock box
- ▶ When work is complete, employees take their personal padlocks off the lock box, freeing the keys inside. Keys inside cannot be accessed until the last employee removes their padlock
- ▶ Feature an exclusive, patented Latch Tight™ locking mechanism that prevents keys from being accessed until the last padlock or lockout hasp is removed from the box. Provides the highest level of security available in a group lock box
- ▶ Lockout message on box is in three languages – English, Spanish and French
- ▶ Durable powder coated finish with stainless steel handle

### 498A

- ▶ Portable solution
- ▶ Available in Red
- ▶ Accepts 12 padlocks or lockout hasps
- ▶ Holds hundreds of keys

### 503RED/503YLW

- ▶ Can be mounted to wall or carried from job to job
- ▶ Accepts 14 padlocks or lockout hasps
- ▶ Holds hundreds of keys
- ▶ Includes organized storage for 12 keys in back of box



Master Lock Model #	Description	Dimensions H x L x W
498A	Portable Group Lock Box	6in x 9-1/4in x 3-3/4in
503RED	Dual Application Group Lock Box - Red	12-3/4in x 3-1/2in x 6-3/8in
503YLW	Dual Application Group Lock Box - Yellow	12-3/4in x 3-1/2in x 6-3/8in

# Pneumatic & Wheel Lockouts

Our pneumatic and wheel lockouts offer easy-to-use, innovative ways to lock out virtually any pneumatic fitting or steering wheels.




4720


## Pneumatic Lockout

*Prevents Pneumatic Fitting From Being Connected to Pressurized Air Source*

- ▶ Fits virtually all male pneumatic fittings
- ▶ Stainless steel construction for corrosion resistance
- ▶ Measures 1-3/8in wide x 7-3/4in tall x 1/8in thick
- ▶ Accepts any Master Lock or American Lock Safety Padlock with shackle diameter up to 9/32in
- ▶ Works with lockout hasps for multiple worker lockout
- ▶ Accommodates 1/4in, 5/16in, 3/8in, 7/16 in, 1/2in, 9/16 in, 5/8in, 13/16in connections



S3900



Master Lock Model #	Description
S3900	Stainless Steel Pneumatic Lockout

## Steering Wheel Covers

*Provides Visual Deterrent During Vehicle Maintenance*

- ▶ Three sizes available for various diameter steering wheels – 16in, 20in, 24in
- ▶ Trilingual warning notifies employees not to start or move vehicle
- ▶ Lock in place with a 421 hasp and safety padlock
- ▶ For added security, use Master S806 cable lockout around steering wheel and foot pedals

Master Lock Model #	Description
4716	16in Diameter Steering Wheel Cover
4720	20in Diameter Steering Wheel Cover
4724	24in Diameter Steering Wheel Cover



4720



4716



4720



4724



## Blind Flange Lockout

Best-in-class lockout solution for pipeline maintenance.

### Blind Flange Lockout

*Device provides a physical barrier preventing unwanted blind removal during pipeline maintenance.*

- ▶ Ideal solution for protecting workers from hazards during pipeline maintenance
- ▶ Device fully conceals flange bolts preventing access to the blind until all work has been completed
- ▶ Easy-to-use, adjustable device provides a tight fit, adapting to multiple flanged pipe applications
- ▶ Three models designed to cover and lock out flange nuts ranging from 3/4in (19mm) to 2-3/4in (69.9mm) diameter and flange widths ranging from 1-1/2in (38.1mm) to 17-7/8in (447.8mm)
- ▶ Durable powder coated aluminum and hardened steel slide bar withstand conditions indoors and out
- ▶ Trilingual, write-on “Danger” labels provided for additional safety ID



#### Size Chart

Master Lock Model #	Pipe Diameter Range	Nut Diameter	Flange Width Range
S3922	1/2in – 3in (12.7mm – 76.2mm)	3/4in – 1-1/8in (19mm – 28.7mm)	1-1/2in – 5-5/8in (38.1mm – 143.3mm)
S3923	3-1/2in – 12in (88.9mm – 304.8mm)	1in – 1-7/8in (33.3mm – 47.8mm)	3-3/4in – 10-3/4in (95.3mm – 274.6mm)
S3924	14in – 24in (355.6mm – 609.6mm)	2in – 2-3/4in (52.3mm – 69.9mm)	7-3/4in – 17-7/8in (196.9mm – 447.8mm)

S3922  
Blind Flange Lockout,  
Small



S3923  
Blind Flange Lockout,  
Medium



S3924  
Blind Flange Lockout,  
Large



S203CS

# Confined Space Covers

*Best practice OSHA compliant solution to confined space entry protection*



### 3 Models Available

Master Lock Model #	Description
S201CS	Elastic, ventilated cover; non-lockable
S202CS	Ventilated cover; lockable
S203CS	Solid cover; lockable

- ▶ Features “Danger” signage and barrier protection to meet and exceed OSHA regulations for confined space
- ▶ Designed to protect employees from the dangers associated with confined spaces
- ▶ Innovative design is easy to use and applies in seconds
- ▶ Ventilated models prevent entry and allow airflow
- ▶ Wards against weather, debris and pests entering the confined space
- ▶ Lockable and non-lockable models available
- ▶ Reusable covers made from durable fabric to stand up to extreme environments

### 4 Sizes Available

HOW TO DETERMINE SIZE NEEDED			
	Man-Way Diameter	Size	Suffix
	20in – 23in	Small	S
	23in – 28in	Medium	M
	28in – 32in	Large	L
	32in – 39in	X-Large	XL
*Size also depends on flange size Add size suffix to model number to order, Ex. S202CSXL for X-Large			

## Confined Space Covers

OSHA compliant control covers for confined space entry points.

These covers provide the best practice solution to confined space entry while also protecting against the elements and pest infestation.



### When Do I Use Covers?

- ▶ Once a **confined space entryway has been opened**, covers provide required signage needed to alert workers of confined space danger
- ▶ During **long periods between entry operations**, lockable covers provide added security and shield against contamination of the space
- ▶ During **break periods of active maintenance**, ventilated covers provide excellent signage and encourage air flow

### Securing Lockable Covers

Lockable covers should be secured with a different type of lock than what is used for your safety lockout procedures. We recommend using a security lock such as:

- ▶ Master Lock 6121 Weather Tough® Padlock
- ▶ American Lock A20 Solid Brass Padlock
- ▶ Master Lock 975 Resettable Combination Padlock
- ▶ Master Lock 311 Covered Laminated Padlock

Learn more at [masterlocksafety.com/CSC](http://masterlocksafety.com/CSC)



6121

A20

# Compact Lockout Pouches

## Electrical Padlocks and Devices Stored for Convenience

- ▶ Compact, convenient design
- ▶ Velcro straps on back allow pouch to be easily applied to or removed from a belt
- ▶ Straps also serve as breakaway feature in the event the pouch is caught in machinery, protecting the employee

Master Lock Model #				Description
410RED Zenex™ Thermoplastic Padlock(s)	A1106RED Aluminum Padlock(s)	3RED Steel Padlock(s)	Unfilled	
S1010E410	S1010E1106	S1010E3	S1010	<b>Electrical Lockout Focus.</b> Contains: 1 – Padlock; 1 – 7C5RED Breaker Switch Padlock; 1 – 420 Hasp; 2 – 493B, 1 – 491B Circuit Breaker Lockouts; 1 – 497A Tags (12/pack).



S1010E1106



S1010E410

# Lockout Kits

The Master Lock Lockout Kits combine and organize commonly used electrical and valve lockout devices for individuals or groups of workers.

### CHOOSE THE PADLOCKS FOR YOUR NEEDS.

#### Master Lock

#### Zenex™ Thermoplastic Padlocks

Non-conductive, lightweight bodies with permanent write-on labels for worker identification. Key retaining feature ensures that padlocks are not left unlocked. Reserved-for-Safety, high security, 6-pin cylinder offers over 100,000 possible key changes.



#### AMERICAN LOCK

#### Anodized Aluminum Padlocks

Heavy duty padlocks feature a durable anodized finish. The 5-pin cylinder offers over 10,000 key changes to minimize risk of key number duplication within a facility.



Custom Assortments of Padlocks & Devices Also Available-See Page 26

# Personal Lockout Pouches

## Padlocks and Devices for Individual Workers

- ▶ Zippered pouch is easy to carry or wear with adjustable waist strap
- ▶ Choice of three padlock styles: lightweight, safety Zenex™ Thermoplastic, anodized Aluminum, or durable laminated Steel padlocks
- ▶ Two standard assortment kits available, one designed with an electrical lockout focus, the other for general maintenance
- ▶ Personal Lockout Pouches are for an individual worker; padlocks are supplied keyed-alike for added worker convenience

Master Lock Model #			Description
410RED Zenex™ Thermoplastic Padlock(s)	A1106RED Aluminum Padlock(s)	Unfilled	
1456E410	1456E1106	1456	<b>Electrical Lockout Focus.</b> Contains: 1 – Padlock; 1 – 7C5RED Breaker Switch Padlock; 1 – 420 Hasp; 2 pcs – 493B, 1 pc – 491B Circuit Breaker Lockouts; 1 – 497A Tags (12/pack)
1456P410KA	1456P1106KA		<b>Padlocks &amp; Tags.</b> Contains: 3 – Padlocks Keyed Alike; 1 – 420 Hasp; 1 – 497A Tags (12/pack)



1456E1106



1456E410

# Personal Ultra-Durable Lockout Kits

## Electrical, Valve and Combined Lockout/Tagout Toolboxes

- ▶ Upgraded safety lockout toolbox keeps important lockout devices and padlocks together
- ▶ Kits include high-use components, satisfying most lockout applications
- ▶ Personal kits are for an individual worker; padlocks are supplied **keyed-alike** for added worker convenience

Master Lock Model #			Description
410RED Zenex™ Thermoplastic Padlock(s)	A1106RED Aluminum Padlock(s)	Unfilled	
1457E410KA	1457E1106KA	S1017*	<b>Electrical Lockout Focus.</b> Contains: 3 – Padlocks; 1 – 7C5RED Circuit Breaker Padlock; 1 – 420 Hasp; 1 – 427 Snap-On Hasp; 2 – 491B, 3 – 493B Circuit Breaker Lockouts; 1 – 496B Wall Switch Cover; 1 – 497A Tags (12/pack)
1457V410KA	1457V1106KA		<b>Valve Lockout Focus.</b> Contains: 3 Padlocks; 1 – 420 Hasp; 1 – 427 Snap-On Hasp; 1 – S806 Adjustable Cable Lockout; 1 – 480, 1 – 481 & 1 – 482 Gate Valve Covers; 1 – 468L & 1 – S3068 Ball Valve Lockouts; 1 – 497A Tags (12/pack)
1457VE410KA	1457VE1106KA		<b>Electrical &amp; Valve Lockout Focus.</b> Contains: 3 – Padlocks; 1 – 7C5RED Circuit Breaker Padlock; 1 – 420 Hasp; 1 – 427 Snap-On Hasp; 1 – S806 Adjustable Cable Lockout; 1 – 480, 1 – 481 & 1 – 482 Gate Valve Covers; 1 – 468L & 1 – S3068 Ball Valve Lockouts; 2 – 491B, 3 – 493B Circuit Breaker Lockouts; 1 – 496B Wall Switch Cover; 1 – 497A Tags (12/pack)

\*Unfilled toolboxes also available in 20in (S1020) and 23in (S1023)



# Group Lockout Kits

## Modular Lockout/Tagout Organizers

- ▶ Lightweight safety lockout carrying case, 15in W x 9-1/2in T x 7in D, with modular, translucent storage compartments for improved organization and fast component selection
- ▶ Kits include high-use components, satisfying most applications
- ▶ Separate compartments for effective grouping of (1) padlocks & hasps, (2) valve lockout & (3) electrical lockout components
- ▶ Group kits are for multiple workers; padlocks are supplied **keyed-different**, so that no unwanted key interchange occurs
- ▶ **LifeGuard™** safety padlock key charting system available at no charge. Visit [www.masterlock.com](http://www.masterlock.com) for details

Master Lock Model #			Description
410RED Zenex™ Thermoplastic Padlock(s)	A1106RED Aluminum Padlock(s)	Unfilled	
1458E410	1458E1106	1458	<b>Electrical Lockout Focus.</b> Contains: 6 – Padlocks; 2 – 7C5RED Breaker Switch Padlocks; 1 – 420 Hasp; 1 – 427 Snap-On Hasp; 1 – S806 Adjustable Cable Lockout; 1 – 487 & 1 – 488 Plug Covers; 4 pcs – 493B, 2 pcs – 491B Circuit Breaker Lockouts; 2 pcs – 496B Wall Switch Covers; 2 – 497A Tags (12/pack)
1458V410	1458V1106		<b>Valve Lockout Focus.</b> Contains: 6 – Padlocks; 1 – 420 Hasp; 1 – 427 Snap-On Hasp; 1 – S806 Adjustable Cable Lockout; 1 – 480, 1 – 481, 1 – 482 & 1 – 483 Gate Valve Covers; 1 – 468L & 1 – S3068 Ball Valve Lockouts; 2 – 497A Tags (12/pack)
1458VE410	1458VE1106		<b>Electrical &amp; Valve Lockout Focus.</b> Contains: 6 – Padlocks; 2 – 7C5RED Breaker Switch Padlocks; 1 – 420 Hasp; 1 – 427 Snap-On Hasp; 1 – S806 Adjustable Cable Lockout; 1 – 487 & 1 – 488 Plug Covers; 1 – 480, 1 – 481 & 1 – 482 Gate Valve Covers; 6 – 493B, 3 pcs – 491B Circuit Breaker Lockouts; 2 – 496B Wall Switch Covers; 1 – 468L & 1 – S3068 Ball Valve Lockouts; 2 – 497A Tags (12/pack)

More Effective LO/TO Organizers



\* Provided that your Registered System Number is included on all future orders.



# Padlock Stations

*Virtually Indestructible, the Strongest Stations Available*

- ▶ Integrated, one-piece molded construction eliminates loose parts
- ▶ Resilient polycarbonate material provides twice the heat resistance and quadruple the impact strength of typical stations
- ▶ Reinforced snap-lock clips provide easy padlock and hasp storage and removal
- ▶ Exclusive translucent cover protects contents
  - Lockable to prevent loss of valuable safety lockout padlocks. Recommend using a combination lock for simple access control
  - Innovative hinge holds cover open for easy product selection
- ▶ Available with your choice of Zenex™ Thermoplastic, Aluminum or Steel padlocks in 4, 10 or 20 lock formats
- ▶ Safety Hasps and Tags included
- ▶ **LifeGuard™** safety padlock key charting system available at no charge. Visit [www.masterlock.com](http://www.masterlock.com) for details

## Padlock Stations

These durable, user-friendly lockout stations provide a central location for lockout padlocks, tags and hasps.



1482BP410



1484BP1106FRC  
(175 Padlock available separately)

### CHOOSE THE PADLOCKS FOR YOUR NEEDS.



#### Zenex™ Thermoplastic Padlocks

Non-conductive, lightweight bodies with permanent write-on labels for worker identification. Key retaining feature ensures that padlocks are not left unlocked. Reserved-for-Safety, high security, 6-pin cylinder offers over 100,000 possible key changes.



#### Anodized Aluminum Padlocks

Heavy duty padlocks feature a durable anodized finish. The 5-pin cylinder offers over 10,000 key changes to minimize risk of key number duplication within a facility.



Custom Assortments of Padlocks & Devices Also Available-See Page 26

Master Lock Model #			Description	Size (H x W x D)
410RED Zenex™ Thermoplastic Padlock(s)	A1106RED Aluminum Padlock(s)	Base and Cover (Unfilled)		
1482BP410	1482BP1106	1482B	4-Lock Station. Contains 4 – Padlocks; 2 – 420 Hasps; 1 – 497A Tags (12/pack)	12-1/4 x 16 x 1-3/4
1483BP410	1483BP1106	1483B	10-Lock Station. Contains 10 – Padlocks; 2 – 420 Hasps; 2 – 497A Tags (12/pack)	15-1/2 x 22 x 1-3/4
1484BP410	1484BP1106	1484B	20-Lock Station. Contains 20 – Padlocks; 4 – 420 Hasps; 4 – 497A Tags (12/pack)	22 x 22 x 1-3/4
<b>English/Spanish Stations</b>				
1482BP410ES	1482BP1106ES	1482BES	4-Lock Station. Contains 4 – Padlocks; 2 – 420 Hasps; 1 – 497AX Tags (12/pack)	12-1/4 x 16 x 1-3/4
1483BP410ES	1483BP1106ES	1483BES	10-Lock Station. Contains 10 – Padlocks; 2 – 420 Hasps; 2 – 497AX Tags (12/pack)	15-1/2 x 22 x 1-3/4
1484BP410ES	1484BP1106ES	1484BES	20-Lock Station. Contains 20 – Padlocks; 4 – 420 Hasps; 4 – 497AX Tags (12/pack)	22 x 22 x 1-3/4
<b>English/French Stations</b>				
1482BP410FRC	1482BP1106FRC	1482BFRC	4-Lock Station. Contains 4 – Padlocks; 2 – 420 Hasps; 1 – 497ABLC Tags (12/pack)	12-1/4 x 16 x 1-3/4
1483BP410FRC	1483BP1106FRC	1483BFRC	10-Lock Station. Contains 10 – Padlocks; 2 – 420 Hasps; 2 – 497ABLC Tags (12/pack)	15-1/2 x 22 x 1-3/4
1484BP410FRC	1484BP1106FRC	1484BFRC	20-Lock Station. Contains 20 – Padlocks; 4 – 420 Hasps; 4 – 497ABLC Tags (12/pack)	22 x 22 x 1-3/4

\*Provided that your Registered System Number is included on all future orders.

## Heavy-Duty Padlock Racks

- ▶ Heavy gauge steel with durable powder coat finish ensure long life
- ▶ Includes labels in English, Spanish/English, and French/English

Master Lock Model #	Description
S1506	6.25in wide x 3in tall x 1.5in deep. Holds 6-8 padlocks
S1518	17.5in wide x 3in tall x 1.5in deep. Holds 18-22 padlocks



## Compact Stations

Our padlock racks and lockout stations are ideal for positioning machine-specific lockout devices, tags and padlocks near the lockout point.

## Compact Lockout Stations

*Compact Lockout Station Holds Machine Specific Lockout Devices and Padlocks Near Lockout Point*

- ▶ Durable construction for years of use in corrosive environments
- ▶ 4 hanger clips for safety padlocks or hasps
- ▶ Includes face labels in English, Spanish/English or French/English
- ▶ Available filled or unfilled
- ▶ Filled centers available with your choice of Zenex™ Thermoplastic, Aluminum or Steel Safety Padlocks
- ▶ Measures 9-3/4in tall x 7-3/4in wide x 3-3/8in deep
- ▶ Bin measures 6-1/2in wide x 2-7/8in tall x 2-7/8in deep



Master Lock Model #			Description
410RED Zenex™ Thermoplastic Padlock(s)	A1106RED Aluminum Padlock(s)	(Unfilled)	
S1705P410	S1705P1106	S1700	Contains: 1 – padlock, 1 – 421 hasp and 2 – tags
S1720E410	S1720E1106	S1700	Contains: 2 – padlocks, 4 – tags, 2 – 491B and 2 – 493B circuit breaker lockouts
S1745E410	S1745E1106	S1700	Contains: 1 – padlock, 1 – 488 plug lockout, and 1 – tag

S1700



S1705P410



S1720E410  
(Hasps available separately)





# Deluxe Lockout Station

**Large Capacity Lockout Station Holds Departmental Lockout Needs**

- ▶ Durable construction ensures long life in your facility
- ▶ Upper and lower sections lockable to ensure devices are there when needed for lockout. Add a combination lock for simple access control
- ▶ 16 hanger clips hold 2 padlocks or lockout hasps each
- ▶ Covered compartments protect devices and keep dust and grime out
- ▶ Moveable dividers in top and bottom trays help organize devices
- ▶ Holes provided along bottom for optional peg hook hangers. Use to hang large, bulky devices.
- ▶ Available filled or unfilled
- ▶ Upper unit ideal for larger lockout devices and padlocks. Lower unit ideal for tags and smaller lockout devices
- ▶ Lower unit has two tip-out drawers. Each measures 10in wide x 6-7/8in high x 3-1/4in deep
  - Dividers included to create 2, 3, 4, 5 or 6 compartments
  - Each compartment holds 25 tags. Total capacity of lower unit is 150 tags
- ▶ Measures 26-1/2in high x 22in wide x 4-1/8in deep
- ▶ **LifeGuard™** safety padlock key charting system available at no charge. See page 5 for details



S1850V3

## Lockout Stations

These durable, user-friendly wall stations offer the ultimate storage space for large facilities or multiple departmental use.

### CHOOSE THE PADLOCKS FOR YOUR NEEDS.

#### Master Lock

#### Zenex™ Thermoplastic Padlocks

Non-conductive, lightweight bodies with permanent write-on labels for worker identification. Key retaining feature ensures that padlocks are not left unlocked. Reserved-for-Safety, high security, 6-pin cylinder offers over 100,000 possible key changes.



#### AMERICAN LOCK

#### Anodized Aluminum Padlocks

Heavy duty padlocks feature a durable anodized finish. The 5-pin cylinder offers over 10,000 key changes to minimize risk of key number duplication within a facility.



Custom Assortments of Padlocks & Devices Also Available—See Page 26

Master Lock Model #			Description
410RED Zenex™ Thermoplastic Padlock(s)	A1106RED Aluminum Padlock(s)	(Unfilled)	
S1900VE410	S1900VE1106	S1900	Contains: 6 – Padlocks; 2 – 420 Hasps; 1 – 427 Snap-On Hasp; 1 – S806 Adjustable Cable Lockout; 1 – 480, 1 – 481, 1 – 482 & 1 – 483 Gate Valve Lockouts; 1 – 468L & 1 – S3068 Ball Valve Lockouts; 1 – S2005 Compact Plug Prong Lockout; 1 – 488 Plug Cover; 2 – 491B, 6 – 493B Circuit Breaker Lockouts; 2 pcs – 496B Wall Switch Covers; 2 – 497A Tags (12/pack). Space for additional padlocks or lockout devices as desired
Bilingual Stations			
S1900VE410ES	S1900VE1106ES	S1900ES	English/Spanish Station: Standard VE Assortment; 2 – 497AX English/Spanish Tags replace 497A's
S1900VE410FRC	S1900VE1106FRC	S1900FRC	English/French Station: Standard VE Assortment; 2 – 497ABLC English/French Tags replace 497A's



S1900VE410

**Lockable Covers**



**Adjustable Dividers**



**Additional Storage on Top**



# Lockout Station

## Lockout Station Holds Locks, Hasps and Devices

- ▶ Durable construction for years of use in corrosive environments
- ▶ Top and bottom compartments each have 5 moveable dividers for organizing devices
- ▶ 8 Hanger clips hold 2 padlocks or lockout hasps each
- ▶ Holes provided inside and along bottom for optional peghook hanger clips. Allows you to organize further. Large devices can be hung below
- ▶ Cover protects padlocks and devices from dust and grime
- ▶ Lockable. Use combination padlock to limit access to authorized employees
- ▶ Measures 15-1/2in high x 22in wide x 4-1/8in deep
- ▶ Available with Electrical or Valve Lockout Focus. Includes most commonly required lockout devices
- ▶ Available filled or unfilled
- ▶ **LifeGuard™** safety padlock key charting system available at no charge. See page 5 for details

Master Lock Model #			Description
410RED Zenex™ Thermoplastic Padlock(s)	A1106RED Aluminum Padlock(s)	(Unfilled)	
S1850E410	S1850E1106	S1850	Electrical Lockout Focus. Contains: 6 – Padlocks; 1 – 420 Hasp; 1 – 427 Snap-On Hasp; 1 – S2005 Compact Plug Prong Lockout; 1 – 488 Plug Cover; 2 – 491B, 4 – 493B Circuit Breaker Lockouts; 2 – 496B Wall Switch Covers; 2 – 497A Tags (12/pack)
S1850V410	S1850V1106		Valve Lockout Focus. Contains: 6 – Padlocks; 1 – 420 Hasp; 1 – 427 Snap-On Hasp; 1 – 480, 1 – 481 & 1 – 482 Gate Valve Lockouts; 1 – 468L & 1 – S3068 Ball Valve Lockouts; 2 – 497A Tags (12/pack)
Bilingual Stations			
S1850E410ES	S1850E1106ES	S1850ES	English/Spanish Station; S1850 Electrical Assortment – English/Spanish 497AX Tags replace 497A's
S1850V410ES	S1850V1106ES		English/Spanish Station; S1850 Valve Assortment – English/Spanish 497AX Tags replace 497A's
S1850E410FRC	S1850E1106FRC	S1850FRC	English/French Station; S1850 Electrical Assortment – English/French 497ABLC Tags replace 497A's
S1850V410FRC	S1850V1106FRC		English/French Station; S1850 Valve Assortment – English/French 497ABLC Tags replace 497A's



S1850V1106



S1850E410ES

# Deluxe Tag Center

## Deluxe Tag/Lockout Center Holds Multiple Groups of Tags

- ▶ Durable construction for years of use in corrosive environments
- ▶ Two tip-out drawers with dividers to create 2, 3, 4, 5 or 6 compartments
- ▶ 8 hanger clips along bottom hold safety padlocks or hasps
- ▶ Each compartment holds 25 tags. 150 tag capacity
- ▶ Compartments can be used for lockout devices too
- ▶ Each tip-out drawer measures 10in wide x 6-7/8in tall x 3-1/4in deep inside
- ▶ Upper tray for zip ties and small lockout devices
- ▶ Lockable. Use combination padlock to limit access to authorized employees
- ▶ Also suitable for ear plugs and eyewear



S1800

Master Lock Model #	Description	Dimensions (H x W x D)
S1800	Tag Center (unfilled)	11in x 22in x 4-1/8in

# Custom Lockout Kits & Stations

*Tailor the Mix of Master Lock Lockout Products for Your Safety Requirements*

You can determine the mix of Master Lock lockout products for your unique safety requirements in **2 Easy Steps!** Master Lock then packs each kit or station.

- ▶ **1. Choose an assortment of Master Lock padlocks, lockout devices, and tags to satisfy specific employee needs**



**ALL padlock models and lockout devices are available!**

- ▶ **2. Choose any portable lockout kit or wall-mount station to store your newly selected assortment**



- ▶ Custom kits and stations are priced at the total of all components - padlocks, devices, tags, and the kit
- ▶ Customers, please contact your preferred Master Lock Distributor to specify the contents of your kits. Distributors, contact Master Lock Safety Specialists at 800-944-1380 to process the order
- ▶ Minimums apply. Laser Engraving and Guardian Extreme™ products excluded



## Custom Lockout Kits & Stations

Select your own unique assortment of safety padlocks, lockout devices, tags, and the kit or station that meets your needs.

## “DO NOT OPERATE” Safety Tags

*Laminated Tags Comply with OSHA Lockout/Tagout Standard*

- ▶ Durable polyester laminate resists water, grease and extreme temperatures
- ▶ Heavy duty construction withstands over 50 lbs. of pullout force (meets OSHA requirement); prevents accidental removal
- ▶ Write-on name, department, expected completion
- ▶ 7/16in dia. brass grommet accepts all safety padlocks
- ▶ Single language and bilingual tag options
- ▶ Tags available in other languages; call for details



Master Lock Model #	Description	Dimensions (H x W)
497A	English, 1 bag of 12 tags with ties	5-3/4in x 3-1/8in
497AX	Spanish/English 1 bag of 12 tags with ties	5-3/4in x 3-1/8in
497ABLC	French/English 1 bag of 12 tags with ties	5-3/4in x 3-1/8in

## “DO NOT OPERATE” Self Laminating Photo ID Safety Tags

*Provides a Visual Representation of the Affected Employee*

- ▶ Durable Polypropylene with PVC laminate overlay resists water, grease, extreme temperatures, and common industrial chemicals
- ▶ Heavy duty construction withstands over 50 lbs. of pullout force (meets OSHA requirement); prevents accidental removal
- ▶ 3/8in diameter brass grommet accepts all safety padlocks and hasps
- ▶ Customize with name, department, and employee specific photo ID
- ▶ Single language and bilingual tag options



Master Lock Model #	Description	Dimensions (H x W)
S4800LEN	English with European Danger Symbol, 1 bag of 12 tags with ties	5-4/5in x 3-1/5in
S4800LES	Spanish with European Danger Symbol, 1 bag of 12 tags with ties	
S4800LFR	French with European Danger Symbol, 1 bag of 12 tags with ties	
S4801	English, 1 bag of 12 tags with ties	
S4801LFRLN	Bilingual English/French, 1 bag of 12 tags with ties	
S4801LESLEN	Bilingual English/Spanish, 1 bag of 12 tags with ties	
S4802LEN	English with U.K. Prohibition Symbol, 1 bag of 12 tags with ties	



## Safety Tags

Identification tags are key components to any safety lockout program. Master Lock offers write-on tags in English, Spanish and French to accommodate employee needs.



497A

# “DO NOT OPERATE” Roll of Tags

*Roll of disposable Safety tags stored in portable box for convenience*

- ▶ Roll of tags in portable dispenser box makes organization and transportation easy – Box dimensions: 7-7/8in x 4-1/4in x 4-1/4in (200mm x 108mm x 108mm)
- ▶ 3/8in (9.5mm) diameter reinforced opening to accept all safety padlock shackles
- ▶ 6in x 3in (152mm x 76mm) tag with “DO NOT OPERATE” message
- ▶ Made of durable polypropylene material for chemical resistance
- ▶ Can be marked with pencil, pen, and permanent marker
- ▶ Available in 4 languages – English, Spanish, French, and Portuguese



S4810



S4810LES



S4810LFR



Master Lock Model #	Description	Dimensions (H xW)
S4810	English, 1 roll of 100 tags	6in x 3 in
S4810LES	Spanish, 1 roll of 100 tags	
S4810LFR	French with European Danger Symbol, 1 roll of 100 tags	
S4810LPT	Portuguese, 1 roll of 100 tags	
S4810LENUK	English with European Danger Symbol, 1 roll of 100 tags	



S4810LPT



S4810LENUK

# Maintenance Lockout Tags

*Disposable Safety tags for temporary lockout*

- ▶ Compact size allows for application in virtually any area
- ▶ Durable laminated material withstands extreme environments
- ▶ Attach with your personal padlock - hassle free, no zip tie needed
- ▶ Accepts up to 9/32in (7mm) shackle diameter
- ▶ Can be marked with pencil, pen, and permanent marker
- ▶ Complies with OSHA standards
- ▶ Available in 4 languages – English, Spanish, French, and Portuguese



S297



S297LES



S297LFR

Master Lock Model #	Description	Dimensions (H xW)
S297	English, 1 bag of 100	1-1/4in x 5-1/2in
S297LES	Spanish, 1 bag of 100	
S297LFR	French with European Danger Symbol, 1 bag of 100	
S297LPT	Portuguese, 1 bag of 100	
S297LENUK	English, with European Danger Symbol, 1 bag of 100	



S297LPT



S297LENUK



## Guardian Extreme™ Safety Tags

Our process permanently fuses the safety message into rugged, industrial grade polypropylene, creating the longest lasting tags available. These graphics remain vibrant and clear for years – even when exposed to high humidity, UV radiation, harsh chemicals, frequent wash downs, extreme high and low temperatures and more.

Metal detectable versions available for use in food processing and pharmaceutical facilities.



## Guardian Extreme™ Safety Tags

Make sure your safety message is clearly visible for years and years with Guardian Extreme™ tags.

## Environmentally Friendly is Business Friendly

Guardian Extreme lifetime tags and signs withstand tough environments and abuse eliminating the cost of replacement.

### Rewrite-Reuse

*Modify the message as often as needed*

Guardian Extreme signs and tags provide the ultimate flexibility. You add the exact safety message for the job with permanent marker, erase it when the work is complete and repurpose it for the next job.



*Wipe off current message with Isopropyl Alcohol*



*Cleaned tag ready for next message - write new message with permanent marker*



*A brand new message is ready for the next project*

### Reduce

#### Durable

- ▶ Guardian Extreme tags hang tough to exceed OSHA requirement that tags meet 50 lbs pull strength
- ▶ Guardian Extreme tags withstand **over 90 lbs pull force**
- ▶ Other paper or plastic tags, with grommets or without – only reach 10 – 50 lbs pull strength



#### More tags in less space

- ▶ Guardian Extreme tags stack flat in kits and stations, remaining neat and organized when stored



#### Corrosion free

- ▶ Guardian Extreme tags have no grommet to corrode



# Guardian Extreme™ Safety Tags 3in x 5-3/4in (Bag of 6)



S4002

S4002LFRLEN

S4060  
(Yellow)



S4050  
(Yellow)

S4040

## Lockout Isolation ID Tags 3in x 1-1/2in



**Control Panel**  
CP-1 to CP-5  
S4500CP1 to  
S4500CP5



**Electrical**  
E-1 to E-5  
S4500E1 to  
S4500E5



**Gas G-1 to G-5**  
S4500G1 to  
S4500G5



**Pneumatic P-1 to P-5**  
S4500P1 to  
S4500P5



**Steam S-1 to S-5**  
S4500S1 to  
S4500S5



**Valve V-1 to V-5**  
S4500V1 to  
S4500V5



**Water W-1 to W-5**  
S4500W1 to  
S4500W5



**Lockout Point**  
S4500RFB

## Scaffolding Tags 3in x 9in

Superior pull strength, durability, and reuseability eliminate the need for expensive tag holders.



S4700  
(Red)



S4701  
(Yellow)



S4702  
(Green)

## Guardian Extreme™ Safety Tags 3in x 5-3/4in (Bag of 6)



S4046  
(Red)



S4001

## Guardian Extreme™ Metal Detectable Safety Tags 3in x 5-3/4in (Bag of 6)



S4002MT



S4002LFRLENMT



S4000MT



Control Panel  
CP-1 to CP-5  
S4500CP1MT to  
S4500CP5MT



Electrical E-1  
to E-5  
S4500E1MT to  
S4500E5MT



Gas G-1 to G-5  
S4500G1MT to  
S4500G5MT



Pneumatic P-1  
to P-5  
S4500P1MT to  
S4500P5MT



Steam S-1  
to S-5  
S4500S1MT to  
S4500S5MT



Valve V-1  
to V-5  
S4500V1MT to  
S4500V5MT



Water W-1  
to W-5  
S4500W1MT to  
S4500W5MT



**⚠ DANGER**



497A

## Safety Tag Stations

Convenient, compact dispensers for safety tags and/or storage for padlocks, hasps, devices and hearing protection.

## Deluxe Tag Center

*Deluxe Tag/Lockout Center Holds Multiple Groups of Tags*

- ▶ Durable construction for years of use in corrosive environments
- ▶ Two tip-out drawers with dividers to create 2, 3, 4, 5 or 6 compartments
- ▶ 8 hanger clips along bottom hold safety padlocks or hasps
- ▶ Each compartment holds 25 tags. 150 tag capacity
- ▶ Compartments can be used for lockout devices too
- ▶ Each tip-out drawer measures 10in wide x 6-7/8in tall x 3-1/4in deep inside
- ▶ Upper tray for zip ties and small lockout devices
- ▶ Lockable. Use combination padlock to limit access to authorized employees
- ▶ Also suitable for ear plugs and eyewear



S1800

Master Lock Model #	Description	Dimensions (H x W x D)
S1800	Tag Center (unfilled)	11in x 22in x 4-1/8in

## Compact Tag Stations

*Durable Tag Station Holds 18 Tags*

- ▶ Three hanger clips for safety padlocks or hasps
- ▶ Includes face labels in English, Spanish/English and French/English
- ▶ Patent pending

Master Lock Model #	Description	Dimensions (H x W x D)
S1601	Tag Station (unfilled)	7-3/4in x 5-3/4in x 1-1/2in
S1601FRC	Tag Station with 12 French/English Tags	



S1601

# Safety Lockout Planograms

Four planograms are organized to focus on different types of lockout – electrical lockout, plumbing lockout and general lockout



## Safety Lockout Planograms

Assortments of safety padlocks, lockout devices, tags and kits suited for a variety of lockout requirements.



Master Lock Model #	Description	1337LGENIND	1337SMGENIND	1336ELECT	1336PLMB
S1010DELECKIT	Electrical Lockout Kit	X		X	
S1010DGCKIT	General Contractor Lockout Kit	X	X		
497AD	Lockout Identification Tags	X	X	X	X
410TRIRED	Keyed-Alike Set of 3 Zenex™ Thermoplastic Safety Padlocks	X		X	X
410DRED	Lightweight Zenex™ Thermoplastic Safety Padlock	X	X	X	X
420D	Steel Lockout Hasp	X	X	X	X
S2394D	Miniature Circuit Breaker Lockout	X		X	
506D	Grip Tight™ Circuit Breaker Lockout Set	X	X	X	X
487D	Electrical Plug Lockout	X	X	X	X
496BD	Universal Wall Switch Cover	X		X	
S806D	Adjustable Cable Lockout Device	X	X	X	X
480D	Gate Valve Lockout	X	X		X
S3081D	Adjustable Ball Valve Lockout	X	X		X
1334POGKIT	Merchandising Kit, Header, Product Cards and Schematics	X	X	X	X

Planograms include two of each item, a Master Lock header and a set of re-order tags.

All of the carded safety padlocks, devices and tags listed are available for purchase separately to replenish or expand your planogram and enhance your showroom. Carded commercial security products and commercial security planograms are also available.

# Notes

---

A series of 28 horizontal lines for taking notes.

**A number of Master Lock Products  
have been **UL Environment Verified**  
for recycled content.**

*UL Environment works to advance global sustainability by supporting the growth and development of environmentally preferable products, services and organizations.*



## **Commitment to the Environment**

### ***Reduce, Reuse and Recycle***

Master Lock is proud to do all three

#### **PROTECTING PEOPLE AND THE PLANET:**

Our Master Lock Safety padlocks use FDA compliant lubricants, which are safe for use in food processing facilities.

Additionally, Master Lock manufactures the majority of Safety padlock components in our ISO 9001 North American facilities.

Master Lock is committed to stewardship of the environment, to the people who make and use our safety products, and to the communities where they are made and used.

#### **REDUCE:**

Our Master Lock Safety Zenex™ Thermoplastic padlock bodies are molded using a hot runner injection molding process that results in virtually no scrap material.

#### **REUSE:**

Precision engineering, durable materials and recommended padlock maintenance ensure all Master Lock Safety padlocks are long lasting.

#### **RECYCLE:**

Master Lock Safety padlocks use a high percentage of recycled metal. Steel shackles, brass keys and cylinders, as well as our aluminum lock bodies are all manufactured using recycled material.

[www.masterlocksafety.com](http://www.masterlocksafety.com) • [www.masterlock.com](http://www.masterlock.com)

Master Lock Company LLC, Milwaukee, WI 53154 U.S.A. | 800-308-9244  
Master Lock Canada, Mississauga, Ontario L5L 5Z9 Canada | 800-227-9599  
© 2017 Master Lock Company LLC | All Rights Reserved

7000-0193 MO 12M 06/17

**Master  
Lock**